ELSEVIER

Gene 201 (1997) 211–212

GENE
AN INTERNATIONAL JOURNAL ON GENES AND GENOMES

# Author Index Vol. 201 (1997)

Athanassiadou, A., see Zarkadis, I. (201) 1
Ayres, A., see Coia, G. (201) 203

Belote, J.M., see Zaiss, D. (201) 99
Berglund, L., see Sørensen, C.B. (201) 199
Bertani, L.E., Huang, J.S., Weir, B.A. and Kirschvink, J.L.
Evidence for two types of subunits in the bacterioferritin of *Magnetospirillum magnetotacticum* (201) 31
Besser, D., see D'Orazio, D. (201) 179
Brammall, J., see Morris, V.B. (201) 107
Brooks, S., Tyler, C.R., Carnevali, O., Coward, K. and Sumpter, J.P.
Molecular characterisation of ovarian cathepsin D in the rainbow trout, *Oncorhynchus mykiss* (201) 45
Byrne, M., see Morris, V.B. (201) 107

Carnevali, O., see Brooks, S. (201) 45
Chang, E.S., see El Haj, A.J. (201) 127
Charlier, D., Roovers, M., Thia-Toong, T.-L., Durbecq, V. and Glansdorff, N.
Cloning and identification of the *Sulfolobus solfataricus lrp* gene encoding an archaeal homologue of the eubacterial leucine-responsive global transcriptional regulator Lrp (201) 63
Christiansen, G., see Ladefoged, S.A. (201) 37
Coia, G., Ayres, A., Lilley, G.G., Hudson, P.J. and Irving, R.A.
Use of mutator cells as a means for increasing production levels of a recombinant antibody directed against Hepatitis B (201) 203
Coward, K., see Brooks, S. (201) 45

D'Orazio, D., Besser, D., Marksitzer, R., Kunz, C., Hume, D.A., Kiefer, B. and Nagamine, Y.
Cooperation of two PEA3/AP1 sites in uPA gene induction by TPA and FGF-2 (201) 179
Dobretsova, A., see Wight, P.A. (201) 111
Duncan, R.C. and Nakhasi, H.L.
La autoantigen binding to a 5′ *cis*-element of rubella virus RNA correlates with element function in vivo (201) 137
Durbecq, V., see Charlier, D. (201) 63

El Haj, A.J., Tamone, S.L., Peake, M., Sreenivasula Reddy, P. and Chang, E.S.
An ecdysteroid-responsive gene in a lobster—a potential crustacean member of the steroid hormone receptor superfamily (201) 127

Frommer, M., see Morris, V.B. (201) 107
Fujii, N.
Pattern of DNA binding of nuclear proteins to the proximal *Agrobacterium rhizogenes rolC* promoter is altered during somatic embryogenesis of carrot (201) 55

Glansdorff, N., see Charlier, D. (201) 63
Gong, Z., Yan, T., Liao, J., Lee, S.E., He, J. and Hew, C.L.
Rapid identification and isolation of zebrafish cDNA clones (201) 87
Gutierrez, E.M., see Martín, M.G. (201) 189

Hayashi, K., see Nikawa, J.-i. (201) 5
He, J., see Gong, Z. (201) 87
Hew, C.L., see Gong, Z. (201) 87
Huang, J.S., see Bertani, L.E. (201) 31
Hudson, P.J., see Coia, G. (201) 203
Hume, D.A., see D'Orazio, D. (201) 179

Ide, Y., Tanimoto, A., Sasaguri, Y. and Padmanabhan, R.
Hepatitis C virus NS5A protein is phosphorylated in vitro by a stably bound protein kinase from HeLa cells and by cAMP-dependent protein kinase A-α catalytic subunit (201) 151
Irving, R.A., see Coia, G. (201) 203

Kato, G.J., see Loveys, D.A. (201) 169
Kiefer, B., see D'Orazio, D. (201) 179
Kirschvink, J.L., see Bertani, L.E. (201) 31
Kouvelas, E., see Zarkadis, I. (201) 1
Kunz, C., see D'Orazio, D. (201) 179

Ladefoged, S.A. and Christiansen, G.
A GTP-binding protein of *Mycoplasma hominis*: a small sized homolog to the signal recognition particle receptor FtsY (201) 37
Lam, J.T., see Martín, M.G. (201) 189
Laughton, D.L., Lunt, G.G. and Wolstenholme, A.J.
Alternative splicing of a *Caenorhabditis elegans* gene produces two novel inhibitory amino acid receptor subunits with identical ligand binding domains but different ion channels (201) 119
Lee, S.E., see Gong, Z. (201) 87
Li, T.W.H., see Martín, M.G. (201) 189
Liao, J., see Gong, Z. (201) 87
Lilley, G.G., see Coia, G. (201) 203
Loveys, D.A., Streiff, M.B., Schaefer, T.S. and Kato, G.J.
The mUBC9 murine ubiquitin conjugating enzyme interacts with the E2A transcription factors (201) 169
Lunt, G.G., see Laughton, D.L. (201) 119

Marksitzer, R., see D'Orazio, D. (201) 179
Martín, M.G., Gutierrez, E.M., Lam, J.T., Li, T.W.H. and Wang, J.
Genomic cloning and structural analysis of the murine polymeric receptor (*pIgR*) gene and promoter region (201) 189
Masaki, S. and Quinlan, R.A.
Gene structure and sequence comparisons of the eye lens specific protein, filensin, from rat and mouse: implications for protein classification and assembly (201) 11
Morris, V.B., Brammall, J., Byrne, M. and Frommer, M.
*Hox*-type and non-*Hox* homeobox gene sequences in genomic DNA of the sea urchin *Holopneustes purpurescens* (201) 107

Nagamine, Y., see D'Orazio, D. (201) 179
Nakashima, A., see Nikawa, J.-i. (201) 5
Nakhasi, H.L., see Duncan, R.C. (201) 137
Nikawa, J.-i., Sugiyama, M., Hayashi, K. and Nakashima, A.
Suppression of the *Saccharomyces cerevisiae hac1/ire15* mutation by yeast genes and human cDNAs (201) 5

Norwood, D.A., Jr. and Sands, J.A.
Physical map of the *Clostridium difficile* chromosome (201) 159

Padmanabhan, R., see Ide, Y. (201) 151
Papamatheakis, J., see Zarkadis, I. (201) 1
Peake, M., see El Haj, A.J. (201) 127
Peery, R.B., see Thornewell, S.J. (201) 21
Petersen, T.E., see Sørensen, C.B. (201) 199

Quinlan, R.A., see Masaki, S. (201) 11

Roovers, M., see Charlier, D. (201) 63
Rougeon, F., see Señorale-Pose, M. (201) 75

Sands, J.A., see Norwood, D.A., Jr. (201) 159
Sasaguri, Y., see Ide, Y. (201) 151
Schaefer, T.S., see Loveys, D.A. (201) 169
Señorale-Pose, M. and Rougeon, F.
The mouse *Vcs2* gene is a composite structure which evolved by gene fusion and encodes five distinct salivary mRNA species (201) 75
Shirras, A.D., see Taylor, C.A.M. (201) 69
Skatrud, P.L., see Thornewell, S.J. (201) 21
Sørensen, C.B., Berglund, L. and Petersen, T.E.
Cloning of the murine tetranectin gene and 5′-flanking region (201) 199
Sreenivasula Reddy, P., see El Haj, A.J. (201) 127
Stanley, K.N., see Taylor, C.A.M. (201) 69
Streiff, M.B., see Loveys, D.A. (201) 169
Sugiyama, M., see Nikawa, J.-i. (201) 5
Sumpter, J.P., see Brooks, S. (201) 45

Tamone, S.L., see El Haj, A.J. (201) 127
Tanimoto, A., see Ide, Y. (201) 151
Taylor, C.A.M., Stanley, K.N. and Shirras, A.D.
The *Orct* gene of *Drosophila melanogaster* codes for a putative organic cation transporter with six or 12 transmembrane domains (201) 69
Thanos, D., see Zarkadis, I. (201) 1
Thia-Toong, T.-L., see Charlier, D. (201) 63
Thornewell, S.J., Peery, R.B. and Skatrud, P.L.
Cloning and characterization of *CneMDR1*: a *Cryptococcus neoformans* gene encoding a protein related to multidrug resistance proteins (201) 21
Tyler, C.R., see Brooks, S. (201) 45

Vezyri, E., see Zarkadis, I. (201) 1

Wang, J., see Martín, M.G. (201) 189
Weir, B.A., see Bertani, L.E. (201) 31
Wight, P.A. and Dobretsova, A.
The first intron of the myelin proteolipid protein gene confers cell type-specific expression by a transcriptional repression mechanism in non-expressing cell types (201) 111
Wolstenholme, A.J., see Laughton, D.L. (201) 119

Yan, T., see Gong, Z. (201) 87

Zaiss, D. and Belote, J.M.
Molecular cloning of the *Drosophila melanogaster* gene *α5_dm* encoding a 20S proteasome α-type subunit (201) 99
Zarkadis, I., Vezyri, E., Kouvelas, E., Thanos, D., Papamatheakis, J. and Athanassiadou, A.
cDNA cloning of the translocon associated protein β-subunit in the chick cerebellum (201) 1